

Structure determination of YbCd icosahedral quasicrystal

Hiroyuki TAKAKURA

Division of Applied Physics, Faculty of Engineering,
Hokkaido University, Sapporo, Hokkaido, Japan.

Disclaimer and copyright notice

Copyright 2010 Hiroyuki Takakura for this compilation.

This compilation is the collection of sheets of a presentation at the “International School on Aperiodic Crystals,” 26 September – 2 October 2010 in Carqueiranne, France. Reproduction or redistribution of this compilation or parts of it are not allowed.


This compilation may contain copyrighted material. The compilation may not contain complete references to sources of materials used in it. It is the responsibility of the reader to provide proper citations, if he or she refers to material in this compilation.

Outline

- Building units and their connection scheme in approximant crystals
- Ideal structure of Yb-Cd i-QC
- Cluster arrangement in Yb-Cd i-QC
- 6D structure and 3D structure
- Refined structure model of Yb-Cd i-QC
- Summary


Building units and their connection scheme in approximant crystals

Various approximant crystals




RT cluster in Yb-Cd i-QC's and its atomic decoration


Reconstructed 6D electron densities of i-YbCd_{5.7}



Interpretation of the reconstructed densities




Idealized RT cluster in Yb-Cd i-QC





Model construction of YbCd i-QC

- RT, AR, and OR as building units.
- b - and c -links for RT units.
- RT unit has an edge length of a .




12-fold vertices of 3DPT with an edge length of a as the positions of the RT's.

Evaluation of the size of occupation domain for the cluster centers




Size of the hole fits occupation domain for the 12-fold vertices of 3DPT with an edge length a

Occupation domains




What generates these OD's ?

Vertices of the **3DPT**
with edge length a




12-fold vertices




12-fold vertices with
only **b**- and **c**-links

The occupation domain of the framework structure




Framework structure of Yb-Cd i-QC model


2-fold projection



5-fold projection




Three building blocks:




Atomic decorations of the building units

i-Yb-Cd

○ } Yb
○ : } Cd




Space filling i-Yb-Cd QC structure represented by using the building units




6D structure and 3D structure


6D structure model of i-YbCd




V:(000000)



B:(111111)/2




E:(100000)/2




: OD for the 12-fold vertices of 3DPT

- █ Cd (in RTHs)
- █ Cd (part. occ.)
- █ Cd (not in RTHs)
- █ Yb (in RTHs)
- █ Yb (in ARs)
- █ Vacancies




6D structure model of i-YbCd (cont.)



V:(000000)







3f




The c-link imposes a geometric constraint for shell structures.


B:(111111)/2



Yb 68.6%
5.80 Å




Yb 31.4%
3.52 Å



RT cluster center
(Twelve-fold vertices of 3DPT)

Cross section structure of Yb-Cd i-QC normal to a five-fold axis



$5 \times 5 \text{ nm}^2$



- Yb
- Cd
- Cd(frac.)



Refined structure model of YbCd i-QC



Refinement of the i-Yb-Cd model



5024 reflections



251 refined parameters






















RT cluster description of 1/1 approximant crystal



Summary

- RT cluster is the common largest building unit in approximant crystals and quasicrystal of i-YbCd.
- *b*- and *c*- links connect RT clusters.
- RT,AR and OR units are the necessary building units for the space filling structure model of i-Yb-Cd.
- The *c*- link is a possible source of chemical order in a ternary Yb-Cd type QC's.
- Refined structure model of i-Yb-Cd QC reproduces the characteristic feature of RT cluster that is found in approximant crystals.